



Standard Code Table Report

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Ft. Bend Central
Appraisal District
None

Code	Description	Effective Date	Inherited From
A1	Air Conditioning Unit-warehouse	07/23/2003	
A10	Canopy Roof/service Station, Average	07/23/2003	
A11	Canopy Roof/service Station, Good	07/23/2003	
A12	Covered Mall	07/23/2003	
A13	Craneway	07/23/2003	
A14	Dock Level Floor	07/23/2003	
A15	Enclosed Entry	07/23/2003	
A16	Fireplace	07/23/2003	
A17	Loading Dock, Steel Or Concrete	07/23/2003	
A18	Loading Dock, Wood	07/23/2003	
A19	Pool	07/23/2003	
A2	Central Air Conditioning Warehouse	07/23/2003	
A20	Porch, Open	07/23/2003	
A21	Porch, Enclosed	07/23/2003	
A22	Porch, Open Upper	07/23/2003	
A23	Porch, Enclosed Upper	07/23/2003	
A24	Sprinkler System, Wet	07/23/2003	
A25	Truck/train Well	07/23/2003	
A26	Utility Building, Frame	07/23/2003	
A27	Utility Building, Metal	07/23/2003	
A28	Utility Building, Bk/stn	07/23/2003	
A3	Atrium Cover	07/23/2003	
A4	Atrium Walls	07/23/2003	
A5	Bank Canopy Drive-in	07/23/2003	
A6	Balcony, Theater	07/23/2003	
A7	Canopy Only	07/23/2003	
A8	Canopy Roof/slab	07/23/2003	
A9	Canopy Roof/service Station, Economy	07/23/2003	
AB	Barns	07/23/2003	
AC	Attached Carport RMS		
AG	Attached Garage	07/23/2003	
AHB	Horse Stables	07/23/2003	
AL	Lean-to's	07/23/2003	
AP	Shelters	07/23/2003	
AS	Farm Silos * Dia	07/23/2003	
ATR	Atrium		
BW	Breeze Ways	07/23/2003	
COPT	Cooling Plant		
CP	Att. Carport	07/23/2003	
D1	Paving-asphalt	07/23/2003	



Standard Code Table Report

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Ft. Bend Central
Appraisal District
None

Code	Description	Effective Date	Inherited From
D10	Restroom/strm Fr/cb	07/23/2003	
D11	Restroom/strm Bk/stn	07/23/2003	
D12	Shed-aluminum	07/23/2003	
D13	Shed-machinery	07/23/2003	
D14	Utility Building, Frame	07/23/2003	
D15	Utility Building, Metal	07/23/2003	
D16	Utility Building, Bk/stn	07/23/2003	
D17	Lumber Shed, One Side Open, Dirt	07/23/2003	
D18	Lumber Shed, One Side Open, Slab	07/23/2003	
D19	Tennis Court, Asphalt	07/23/2003	
D2	Paving, Service Station, Asphalt/concrete	07/23/2003	
D20	Tennis Court, Concrete	07/23/2003	
D21	Tennis Court, Clay	07/23/2003	
D22	Greenhouse, Economy	07/23/2003	
D23	Greenhouse, Average	07/23/2003	
D24	Greenhouse, Good	07/23/2003	
D25	Bank Canopy Drive-thru	07/23/2003	
D3	Paving Concrete	07/23/2003	
D30	Chain Link Fence 6'	07/23/2003	
D31	Chain Link Fence 8'	07/23/2003	
D32	Chain Link Fence 10'	07/23/2003	
D4	Paving-concrete Hd	07/23/2003	
D40	Light,Shop Center, Merc Vapor Or Fluor 20' Single	07/23/2003	
D41	Light,Shop Center, Merc Vapor Or Fluor 20' Dual	07/23/2003	
D42	Light,Shop Center, Merc Vapor Or Fluor 20' Quad	07/23/2003	
D43	Light,Shop Center, Incandescent 20' Single	07/23/2003	
D44	Light,Shop Center, Icandescent 20' Dual	07/23/2003	
D45	Light, Shop Center, Incandescent 20' Quad	07/23/2003	
D46	Light,Service Station, Merc Vapor Or Fluor 12' Single	07/23/2003	
D47	Light, Service Station,Merc Vapor Or Fluor 12' Dual	07/23/2003	
D48	Light, Service Station, Merc Vapor Or Fluor 12' Quad	07/23/2003	
D49	Light,Service Station, Incandescent 12' Single	07/23/2003	
D5	Canopy Only	07/23/2003	
D50	Light,Service Station, Incandescent 12' Dual	07/23/2003	
D51	Lighting, Service Station, Incandescent 12' Quad	07/23/2003	
D6	Canopy Roof/slab	07/23/2003	
D60	Pool	07/23/2003	



Standard Code Table Report

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Ft. Bend Central
Appraisal District
None

Code	Description	Effective Date	Inherited From
D7	Canopy Roof/service Station, Economy	07/23/2003	
D70	Golf Course Holes (price Per Hole)	07/23/2003	
D8	Canopy Roof/service Station, Average	07/23/2003	
D80	Mobile Home Park	07/23/2003	
D81	Mobile Home Park-good	07/23/2003	
D84	Mobile Home Park	07/23/2003	
D86	Mobile Home Park	07/23/2003	
D9	Canopy Roof/service Station, Good	07/23/2003	
D99	Flat Value	07/23/2003	
DC	Detached Carport RMS		
DG	Detached Garage	07/23/2003	
DP	Det. Carport	07/23/2003	
DUP	Duplex		
EP	Enclosed Porch	07/23/2003	
F	Fence		
FC	Fence Chain Link		
FC10	Fence - 10 Foot		
FC12	Fence - 12 Foot		
FC4	Fence - 4 Foot		
FC6	Fence - 6 Foot		
FC8	Fence - 8 Foot		
GA	Att. Garage	07/23/2003	
GB	Steel Grain Bins		
GH	Greenhouses	07/23/2003	
GZ	Gazebos	07/23/2003	
Hub	Hub		
I1	Bank/savings Inst, Chac	07/23/2003	
I10	Retail, Multi Use, Chac	07/23/2003	
I11	Storage, Multi Use	07/23/2003	
I12	Tavern/bar-bar/lounge, Chac	07/23/2003	
I13	Tennis Club, Chac	07/23/2003	
I14	Warehouse, Finish, No Unit Heat	07/23/2003	
I15	Unit Heat	07/23/2003	
I16	Restrooms	07/23/2003	
I2	Cinema, Chac	07/23/2003	
I3	Department Store, Chac	07/23/2003	
I4	Discount Store/market, Chac	07/23/2003	
I5	Enclosure (25% Office, 75% Similar To Retail)	07/23/2003	
I6	Medical Center/offices, Chac	07/23/2003	
I7	Office Multi Use	07/23/2003	



Standard Code Table Report

Ft. Bend Central
Appraisal District
None

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Code	Description	Effective Date	Inherited From
I8	Racquet Ball Court, Chac	07/23/2003	
I9	Restaurant, Chac	07/23/2003	
JZ	Jacuzzi, Hot Tubs	07/23/2003	
LDS	Septic System (Double)		
LS	Septic System		
LW	Water Well		
LWS	Water Well and Septic System		
M1	Apartments, Average, Br/fr Br/cb, Wd/fr Chac, Stucco	07/23/2003	
M1.2	Apartments, Average 2nd Floor	07/23/2003	
M10	Auto - Dealership, Prc-eng St, Metal Walls	07/23/2003	
M100	Funeral Home, Average, Br,Cb,Tw,Fr, On Wd Fr, 10' Wall	07/23/2003	
M11	Service Center, Metal Wallls 14' Wall, No Rr, No Enc	07/23/2003	
M110	Grocery Store,Drive In,Free Standing,P.e. Steel	07/23/2003	
M112	Grocery Store,Drive-in Or Conv, Average Cb	07/23/2003	
M12	Auto-dealership, P.e. St/fr,Auto Sales Br,	07/23/2003	
M120	Hanger, Low Metal Hd Frame, 14' Wall, No Heat, Min Finish	07/23/2003	
M122	Hanger, Average, Metal Hd St Fr, 18' Wall, Min Fin, No Heat	07/23/2003	
M13	Service Center, 1/2 Metal, 1/2 Cb, 16' Wall, No Rr/enc	07/23/2003	
M130	Hospital, Average, Br,Cb,Tw, 12' Wall	07/23/2003	
M130.2	Hospital, 2nd Floor	07/23/2003	
M132	Hospital, Average, Br,Cb,Conc,Glass,On Hd St Fr	07/23/2003	
M132.2	Hospital, Average, All Floors Above One	07/23/2003	
M14	Auto - Dealership, P.e. St/fr, Auto Sales	07/23/2003	
M140	Ice House, Dance Hall, Average, Cb,Fr, No Chac,Min Finish	07/23/2003	
M141	Ice House, Dance Hall, With A/c, C.b., Fr	07/23/2003	
M142	Ice House, Dance Hall, P.e. St Fr, Metal Walls, Ci	07/23/2003	
M143	Ice House, Dance Hall, With A/c, Pre Eng St,Metal Walls Ci	07/23/2003	
M15	Service Center Cb, Tilt Wall, Brk, 16' Wall, No Rr/enc	07/23/2003	
M150	Jail, Conc & Limestone, Granite, 14' Wall	07/23/2003	
M154	Jail, Brick Or Blk Conc, 14' Wall	07/23/2003	
M16	National Auto Or Tire Service Center, Cb, Tw, Tile, Br, St,F	07/23/2003	
M160	Medical Clinic, Dr. Office, 1 Story Metal	07/23/2003	
M162	Medical Clinic, Dr. Office, 1 Story, Stucco, Wd Fr	07/23/2003	
M164	Medical Clinic, Dr. Office, Average, 1 Story	07/23/2003	



Standard Code Table Report

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Ft. Bend Central
Appraisal District
None

Code	Description	Effective Date	Inherited From
M166	Medical Office, Mid-rise, 6 Story/less	07/23/2003	
M166.2	Medical Clinic, All Floors Above First	07/23/2003	
M17	National Auto Or Tire Center, Chac In Retail	07/23/2003	
M170	Motel, Average, Br, Block, Fr On Wd Fr	07/23/2003	
M170.2	Motel, Second Floor	07/23/2003	
M172	Motel, Average, On Steel Fr	07/23/2003	
M172.2	Motel, Second Floor	07/23/2003	
M18	Neighborhood Garage Or Auto Service, No Heat	07/23/2003	
M180	Nursing Home, Br, Block, Fr, On Wd Fr	07/23/2003	
M180.2	Nursing Home, Second Floor	07/23/2003	
M182	Nursing Home, Br, Stone, Cb Or Hd Steel	07/23/2003	
M182.2	Nursing Home, Second Floor	07/23/2003	
M19	Neighborhood Garage Or Auto Service	07/23/2003	
M190	Office Building, P. E Steel, No A/c	07/23/2003	
M190.2	Office Building, Second Floor	07/23/2003	
M191	Office Building, Pre-engineered Steel Fr, Light Metal Walls	07/23/2003	
M191.2	Office Bldg, Pre Engineered Steel Fr, Lt Metal Walls, 2nd St	07/23/2003	
M192	Office Building, On Fr Or P.e.steel No A/c	07/23/2003	
M192.2	Office Building, Second Floor	07/23/2003	
M193	Office Building, Tilt Wall, No A/c	07/23/2003	
M193.2	Office Building, Second Floor	07/23/2003	
M194.2	Office Building, Br, Stone, Cb, Tilt Wall -2.80 To Second Fl	07/23/2003	
M195	Office Building, Stucco, Fr, Br, On Fr Of Pre-engineered Ste	07/23/2003	
M20	Bank Building, Average Br, Conc, Steel Fr	07/23/2003	
M200	Office Building, 6 Story, Average	07/23/2003	
M200.2	Office Building, Stories Above The First	07/23/2003	
M201	Office Building, Over 6 Stories	07/23/2003	
M201.1	Office Building	07/23/2003	
M204	Office Building, 6 Story Re-inforced Concrete, Gl	07/23/2003	
M204.2	Office Building, Story Above First	07/23/2003	
M205	Office Building, Over 6 Stories	07/23/2003	
M205.1	Office Building Over 6 Stories	07/23/2003	
M205.2	Off Bldg, Hi-rise, Recon	07/23/2003	
M210	Parking Garage, St Fr	07/23/2003	
M210.2	Parking Garage, Floors Above One And Top Deck	07/23/2003	
M212	Parking Garage, Re-inforced Concrete	07/23/2003	
M212.2	Parking Garage, Floors Above One And Top Deck	07/23/2003	
M22	Bank Building, Average	07/23/2003	



Standard Code Table Report

Ft. Bend Central
Appraisal District
None

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Code	Description	Effective Date	Inherited From
M220	Restaurant, Br, Block, Tilt-wall On St Fr	07/23/2003	
M222	Restaurant, Stucco, Wd Fr, Cb Or Brick On Wd Fr	07/23/2003	
M223	Restaurant, Stucco, Wd, Fr, Cb, Of Brick On Wd Fr	07/23/2003	
M224	Restaurant, Light Metal Wall, P.e. Steel	07/23/2003	
M225	Restaurant	07/23/2003	
M230	Restaurant, Fast Food, Br, Block, Stone	07/23/2003	
M232	Restaurant, Fast Food, Stucco, Wd Siding	07/23/2003	
M234	Restaurant, Fast Food, Light Metal Walls	07/23/2003	
M24	Bank Building, P.e. Steel	07/23/2003	
M240	School, Br, Blk, Conc On Heavy St Fr	07/23/2003	
M242	School, Br, Blk, Outside Wall Veneer	07/23/2003	
M244	Classroom, Br, Blk, Tile, Stone On Heavy St Fr	07/23/2003	
M246	Classroom, Br, Blk, Tile, Stone On Wd Fr	07/23/2003	
M250	Retail Store, Br, Block, Tilt-wall, Stone On St Fr	07/23/2003	
M250.2	Retail Store, Floors Above One	07/23/2003	
M252	Retail Store, Br, Cb, Stone, Fr On Wd Fr, Chac	07/23/2003	
M252.2	Retail Store, All Floors Above One	07/23/2003	
M253	Retail Store	07/23/2003	
M254	Retail Store, Lt Mt Walls, P.e. st, Fr, Chac	07/23/2003	
M254.2	Retail Store, No A/c	07/23/2003	
M255	Retail Store	07/23/2003	
M256	Department Store	07/23/2003	
M256.2	Department Store	07/23/2003	
M257	Department Store	07/23/2003	
M257.2	Department Store	07/23/2003	
M260	Downtown, Row-type, Br, Cr, Tile, Chac On St Fr	07/23/2003	
M262	Downtown, Row-type, Average	07/23/2003	
M263	Downtown, Row-type, Average, Br, Cb, Tile, On Wd Fr, 12' wall	07/23/2003	
M270	Shopping Center, Chac, 14' Wall	07/23/2003	
M271	Shopping Center, Br, Tilt-wall, Block, Tile, On St, Fr, 14' W	07/23/2003	
M272	Shopping Center, Stucco, Chac, 14' Wall	07/23/2003	
M273	Shopping Center, Stucco, Fr Br Or Pre-engineered St, 14' Wal	07/23/2003	
M274	Shopping Center, Light Metal Walls, Chac, 14' Wall	07/23/2003	
M275	Shopping Center, Light Metal Walls, Pre-engineered St Fr, 14	07/23/2003	
M280	Supermarket, Average, Tw, Cb, 16' Wall	07/23/2003	
M282	Supermarket, Stucco, 16' Wall	07/23/2003	



Standard Code Table Report

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Ft. Bend Central
Appraisal District
None

Code	Description	Effective Date	Inherited From
M284	Supermarket,Light Metal Walls, Chac	07/23/2003	
M290	Discount Department Store,Tilt-wall, Br, Blk,Chac	07/23/2003	
M292	Discount Department Store, Stucco, Cb,Tile,Chac	07/23/2003	
M294	Discount Department Store, Light Metal Walls, Chac	07/23/2003	
M30	Basement, No Finish, No Ac/h, No Rr, No Part	07/23/2003	
M300	Service Station, Excellent,Cb,Porcelain, Enamel	07/23/2003	
M302	Service Station, Good,Cb,Porcelain,Enamel	07/23/2003	
M304	Service Station,Average Cb,Porcelain,Enamel	07/23/2003	
M306	Service Station, Cheap Wd Fr	07/23/2003	
M308	Service Station, Self-services,Average,Stucco,Glass	07/23/2003	
M309	Service Station, Self-services, Average, St/gl	07/23/2003	
M31	Basement,Offices	07/23/2003	
M310	Social/fraternal Hall	07/23/2003	
M312	Social/fraternal Hall	07/23/2003	
M314	Social/fraternal Hall, Light Metal Walls	07/23/2003	
M32	Basement, Retail, No Ac/h, No Rr,	07/23/2003	
M320	Theater, Br, Blk, Tile, Stucco	07/23/2003	
M322	Theater, Stone On Wd Fr	07/23/2003	
M33	Basement,Parking	07/23/2003	
M330	Warehouse	07/23/2003	
M332	Warehouse, Shell, P.e. St, Fr	07/23/2003	
M334	Warehouse, Shell, P.e. Lt St Fr	07/23/2003	
M335	Warehouse, Shell, P.e. Hd St Fr	07/23/2003	
M340	Warehouse (mini Or Self Storage)	07/23/2003	
M342	Warehouse (mini Or Self Storage) Lt Mt Walls	07/23/2003	
M343	Warehouse, (mini Or Self Storage) No Slab	07/23/2003	
M40	Bowling Alley Average	07/23/2003	
M42	Bowling Alley, Stucco, Fr, P.e. St Fr	07/23/2003	
M50	Carwash, Coin Operated Wand Type	07/23/2003	
M51	Car Wash, Cb Or Br	07/23/2003	
M52	Carwash, Average Tunnel Type	07/23/2003	
M53	Car Wash, Average,Tunnell, Hds, 14' Wall Ht	07/23/2003	
M60	Church, Stone, Tile, Br, Fine Resistent	07/23/2003	
M62	Church, Stone, Tile, Br, Re-inforced Conc	07/23/2003	
M64	Church, Stone, Tile, Br, Bearing Walls	07/23/2003	
M66	Church, Stone, Tile, Br On Wood Fr	07/23/2003	
M68	Church, Light Metal Walls On P.e. St Fr	07/23/2003	
M70	Club House Community Center, Chac, 10' Wall	07/23/2003	



Standard Code Table Report

Ft. Bend Central
Appraisal District
None

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Code	Description	Effective Date	Inherited From
M72	Club House, Community Center, Br, Blk, On Wd Fr	07/23/2003	
M74	Club House, Community Center, Light Metal Wall	07/23/2003	
M80	Country Club, Br, Blk, Stone	07/23/2003	
M82	Country Club, Br, Stucco	07/23/2003	
M90	Daycare Center, Average	07/23/2003	
MA	Main Area	07/23/2003	
MA1.5	Main Area, 1 1/2 Story RMS		
MA2	Main Area 2 Story	07/23/2003	
MA2.5	Main Area, 2 1/2 Story RMS		
MA3	Main Area, 3 Story RMS	07/23/2003	
MA4	Main Area 4 Story	07/23/2003	
MAA	Additional MA RMS		
MF	Methane Flares		
O1	Open Area, Apartment/hotel	07/23/2003	
O2	Open Area, Motel/dwg	07/23/2003	
O3	Open Area, Store/restaurant	07/23/2003	
O4	Open Area, Indus/whs	07/23/2003	
O5	Open Area, Bank/office	07/23/2003	
O6	Open Area, Theater/audt	07/23/2003	
O7	Open Area, Ltmt	07/23/2003	
O8	Open Area, High Rise Office Building	07/23/2003	
O9	Open Area, Fast Food	07/23/2003	
OA2	Open area 2nd floor		
OA3	Open area 3rd floor		
OHC	Overhead Cranes		
OP	Open Porch	07/23/2003	
PA	Patio concrete slab		
PO	Patio (conc. Slab)	07/23/2003	
PTR	Plant Road		
RC	Patio Covers	07/23/2003	
RG	Residential Garage	07/23/2003	
RP	Swimming Pools	07/23/2003	
RRS	Railroad Spur		
RS	Residential Storage	07/23/2003	
SEF	Service Facilities		
SIT	Site Improvements		
SM	Mobile Home Options	07/23/2003	
SP	Screen Porch	07/23/2003	
SPA	Spa	07/23/2003	
ST	Storage	07/23/2003	



Standard Code Table Report

Ft. Bend Central
Appraisal District
None

Code Table: **Segment - Type**

Sorted by: **Code**

Report Options:

Code	Description	Effective Date	Inherited From
STR	Stairwell		
SUB	Substation		
TC	Tanks and Conveyors		
TM	Tank & Machinery		
TS	Truck Scales		
UT	Utilites		
WD	Wood Deck	07/23/2003	
WP	Wash Pit		

Total Count: 311